INDEX.

Acid Sludge, direct use, 708-714
  history, 702-704
  kerosine refining, 707-708
  literature on, 1928-29, 307-308
  separation and reconcentration, 704-708
  use for power purposes, 702-714
Acid Sludge Fuel, burning, 711
  burning processes, 711
  quality, 711
Adhesivity, road materials, test for, 906
Alberta, oilfields of, 390-422
  progress in 1929, 350, 353
  prospective oilfields of, 397-400
  source of oil, 400-407
Aluminium Chloride, action of hexane and isohexane, 205
  literature on, 1928–29, 308
  manufacture, 129
American Petroleum Institute, research programme of, 334-341
American Society for Testing Materials, testing methods, 1928–29, 328-329
American Spindle Oil, viscosities, 643-653
Amyl Acetate, literature on, 1928–29, 308
Amylene, aniline point, 76
Analysis, crude oil, 43-44, 49, 51-52
  for unsaturateds and surface-active matter, 339-340
  progress of, 1928–29, 325-333
Annual Dinner, Twelfth, speeches at, 736-754
Annual General Meeting, seventeenth, 372-378
Annual Report of Council, 1929–30, 364-371
Anthracite, analysis, 715
Anti-Detonators, progress of, 1928–29, 247-251
Aromatics, determination, by aniline point, 74-80
  by critical solution temperature, 74-80
  by density, 71-72
  by diethyl sulphate, 81-82
  by dimethyl sulphate, 81-82
  by formaldehyde, 82-83
  by methylal, 83
  by nitric acid, 80-81
  by preferential solvents, 81-82
  by refractive index, 72
  by sulphur dioxide, 81
  by sulphuric acid, 72-74
Asphalt, definition, 903-904, 905
  petroleum, use as fuel, 714-715
  wax estimation, 814-824, 907-908
Asphalt Varnish, literature on, 1928–29 308
Asphalts, progress of, 1928–29, 281-283 301-306
Aulacodiscus Kittoni, Arnott, 335
Australia, shale-oil, cracking, 143
Aviation Benzine, comparison with standard products, 46
Autun, France, gas composition, 631

Baku, Russia, kerosine distillate, cracking, 143
Balachany, Russian, mazout, cracking, 143
Barbados, progress in, 1928–29, 357
Barrel, capacity of, 576-578
Bayonne Engine Oil, viscosities, 643-653
Bentonite, literature on, 1928–29, 308
Benzine, aviation, comparison with standard products, 46
  heavy, specification, 41
  light, specification, 41
  medium, specification, 46
  Miri, analysis, 785-786
Benzole, progress of, 1928–29, 252-254
Berginisation, progress of, 1928–29, 313-320
Bitumen, definition, 903, 904
Boilers, drilling, 523-524
Boryslaw, Poland, crude oil, 360
  natural gas, gasoline recovery, 358-359
Bosch-Acro Engine, data, relating to, 427
Bosch Fuel Pump, 435-441
British Empire, petroleum production, 1927–29, 615
British Engineering Standards Association, specifications, 1928–29, 327-328
British Guiana, oil shows in, 357
Burners, oil, number in domestic use in U.S.A., 1921–29, 732
Butadiene, literature on, 1928–29, 304
Butane, liquefied, from natural gas 124, 131-132
  properties, 132
  use, 124, 131-132
Butyl Cyclopentane, aniline point, 76
By-Products, petroleum, use for power purposes, 701-722

California, crude oil, cracking, 141
specific heats, 489-490, 495
oil industry, fatalities in 1929, 909
Canada, Alberta oilfields, 390-422
shale-oil, cracking, 143
Western, oil and gas in 1929, 350-353
Carbon Black, literature on, 1928–29, 308
progress of, 1928–29, 123
Casing Shoes, unnecessary in rotary wells, 573-576
Cetene, aniline point, 76
Chemical Apparatus, standardisation, 826
Chemical Staff, operations of in oil industry, 382
Chemist, development, work of, 384
in the petroleum industry, 379-387
research, work of, 384-387
Chemistry, petroleum, A.P.I. research on, 340-341
Chlorinated Products, literature on, 1928-29, 309
Clays, United States, replaceable bases in, 681-683
Cleaning Spirit, literature on, 1928-29, 309
Coal, anthracite, analysis, 715
bituminous, analysis, 715
hydrogenation, improvements in products, 600-602
Coatings, protective, literature on, 1928–29, 309
Coefficient of Expansion, gravity correction and, 501-502
Cohesivity, road materials, test for, 906
Coke, petroleum, analysis, 715, 720
briquettes from, 720-721
consumption in U.S.A., 1928, 718
prices in U.S.A., 719
sources, 716-717
use as fuel, 715-721
Cotton Seed oil, cracking, 144
Cracked Distillates, stabilising, 191-192
treatment of, 236-245
Cracking of Oil, aluminium chloride as catalyst, 204-207
catalytic, 204-216
charging stock, pretreatment, 188
control of, automatic, 192
De Florez unit, 125-127, 196
equipment corrosion, 188-190
gases from, 236
gasoline production, 1918–28, 728
Goodwin process, 128
growth in U.S.A., 246
Gyro process, 127-128, 195-204
Knox process, 197
liquid-vapour phase, 134-195
metals as catalysts, 207-208
Cracking of Oil—*cont.*
progress of, 1928–29, 133-246
residues from, 192-195
with hydrogenation, 216-227
with oxidation, 227-230
Crown Blocks, 513
Crude Oil, analysis, 43-44, 49, 51-52
for unsaturateds and surface-active matter, 339-340
distillation, efficiency in, 40-53
metallic constituents, 341
Miri, analysis, 785
specific heat, variation with temperature, 476-500
U.S.A., products from, 727
world's production, 1919–28, 726
Cyclic Hydrocarbons, aniline points, 76
Cyclohexane, aniline point, 76
oxygen action, 340
Cyclohexene, aniline point, 76
Cyclohexyl Cyclohexane, aniline point, 76
Cyclopentane, aniline point, 76
from Southern Californian oil, 340
oxygen action, 340
Cylinder Oil, viscosities, 643-653
Cylinder Stock, sludge kettle run, 707

Decahydronaphthalene, aniline point, 76
n-Decane, aniline point, 76
Derrick, rotary drilling, 512-513
Detonation, fuel oxidation in relation to, 337-338
Deutz Engine, data relating to, 427
Deviation of Wells, 537-564
correction, 550, 559-560
detection, 547-550
geological considerations, 538-539
technical considerations, 539-547
Diatoms, source of oil, 335-336
Diesel Oil, specification, 281
2.2-Dimethyl Butane, aniline point, 75
2.3-Dimethyl Butane, aniline point, 75
1.2-Dimethyl Cyclohexane, aniline point, 76
1.3-Dimethyl Cyclohexane, aniline point, 76
1.4-Dimethyl Cyclohexane, aniline point, 76
1.3-Dimethyl Cyclopentane, aniline point, 76
2.2-Dimethyl Pentane, aniline point, 76
2.3-Dimethyl Pentane, aniline point, 76
2.4-Dimethyl Pentane, aniline point, 76
3.3-Dimethyl Pentane, aniline point, 76

Diolefines, literature on, 1928–29, 308
Distillation, crude oil, efficiency in, 40-53
Distillation of Oil, Gover's process, 257-258
vacuum, apparatus for, 604
Dolomites, as reservoir rocks, 336
Draw-Works, rotary, layout, 511
types, 516-518
Drilling, rotary, cost, 603
Drilling Bit, electric, 528
hydraulic, 528
pneumatic, 532, 534
Drilling Plant, rotary, economy in, 525-527
future developments, 527-528
modern features, 508-535
Ductility, road materials, test for, 906
Dundee, Michigan, topped crude, cracking, 141

Eckart's Logarithmic Viscosity-Temperature Relation, 634-647
Economics of Petroleum Situation, 607-620
Edeleanu Process, technology and economics, 581-596
Electricity, in oil industry, literature on 1928-29, 309-310
Emba, Russia, solar oil, cracking, 142
Emulsifying Agents, literature on, 1928–29, 310
Emulsions, bituminous, progress of, 1928–29, 301-306
literature on, 1928–29, 310
road materials, test for, 906
Engine Oil, viscosities, 643-653
Engineer, relation to petroleum industry, 2-28
Engines, compression-ignition, industrial uses, 730
sales, 1919–28, 729
Diesel, b.h.p. per litre capacity, 442
Bosch fuel pump, 435-441
comparison with petrol engine, 425
data relating to, 427
exhaust fumes, 446-447
for road transport, 423-463
fuel for, 443-446
double-acting 2-cycle, 346-348
double-acting 4-cycle, 343-344
drilling, 520-521
gummy pistons in, cause, 678-680
high-speed, 348-349
internal-combustion, cleaner for cylinders, 309
oil, progress of, 1928–29, 342-349
petrol, comparison with Diesel engine, 425
Engines—*cont.*
single-acting 2-cycle, 348
single-acting 4-cycle, 344 346
Ermelo, Transvaal, torbanite at, 621
torbanite, gas composition, 630
Estonia, oil-shale, gas composition, 627, 629
oil and gas yields, 628
shale-oil, cracking gas composition, 633-634
cracking, 143
Ethyl Cyclopentane, aniline point, 76
Ethyl Mercaptans, for detecting gas leaks, 825
3-Ethyl Pentane, aniline point, 76
Ethylene, polymerisation, 830, 833
under pressure with catalyst, 833-847
synthetic lubricants from, 830-869
Ethylene Glycol, literature on, 1928–29, 310
Expansion Coefficients, for specific gravity, 812

Fish Oil, cracking of, 144
Flame Propagation, velocity of in side valve engine, 756-782
Flux Oil, definition of, 904, 906
Formaldehyde, from natural gas, 825
France, shale-oil, cracking, 143
Fuel Oil, Diesel, 443-446
future supplies, 722-735
specification, 281
distillate, domestic use in U.S.A., 1925-29, 732
distillate and residual, U.S.A. production, 1919–28, 730
progress of, 1928–29, 281-283
Fuels, motor. See *Motor Fuels.*
synthetic, progress of, 1928–29, 313-324

Gallons, English and American, 576-578
Ganister, lining for reaction chambers, 189
natural, chlorination, 360
Gas, cracking, 236
leaks, ethyl mercaptans for detection, 825
natural chlorination, 360
cracking, 230-235
effect on physical properties of oils, 339
formaldehyde from, 825
gasoline recovery, 358-359
hydrogen recovery, 360
pipe-line construction, 119-122
progress of, 1928–29, 118-124
shale retorting, composition and uses, 626-634

Gas Conservation, pressure control and, 640-642
Gas Drive, recovery of oil by, 825
Gas-Lift Wells, paraffin deposition, 909
Gas Oil, specification, 41
Gases, electrical discharge effect, 340
refinery, use as fuel, 721-722
synthetic liquid fuels from, 320-324
thermal conductivity, 338
Gasoline, chemical examination, 54-88
cracked, analysis, 332
gum content determination, 684-695
production, 1918–28, 728
gum estimation, 331-332
natural, plants in U.S.A., 825
progress of, 1928–29, 122-123
testing for knock-rating, 329-331
yield on crude oil, 1905–1928, 727
Geological History, and Geothermal Phenomena, 899-901
Geology, petroleum, A.P.I. research on, 334-336
progress of, 1928–29, 91-96
Geophysical Surveying, cost, 106
electrical methods, 103-105
gravity methods, 97-98
in U.S.A., 105-106
magnetic methods, 101-103
progress of, 1928–29, 97-107
seismic methods, 98-101
Geothermal Gradients, determination, 338
Geothermal Phenomena and Geological History, 899-901
Germany, lignite tar, cracking, 144
Grease, manufacture, literature on, 1928–29, 311
Green Fluorescence, literature on, 1928–29, 311
Grosny, Russia, crude oil, cracking, 141
fuel oil, cracking, 142
Gum Determination, cracked spirits, 684-695
Gummy Pistons, cause, 678-680

Hanus Method for Determination of Unsaturateds, 60-62
Helium, literature on, 1928–29, 311
progress of, 1928–29, 124
iso-Heptane, C.S.T. in nitro-benzene, 77
n-Heptane, aniline point, 76
C.S.T. in nitro-benzene, 77
Heptanes, aniline points, 76
Heptene, aniline point, 76
iso-Hexane, C.S.T in nitro-benzene, 77
n-Hexane, aniline point, 75
C.S.T. in nitro-benzene, 77
Hexanes, aniline points, 75
Hexene, aniline point, 76
iso-Hexene, aniline point, 76
Hose Pipes, rotary drilling, 514-515
Hubl Method for Determination of Unsaturateds, 60
Hydrocarbons, petroleum, catalytic methods applied to, 336-337
thermal properties, 339
pure, non-catalytic thermal decomposition, 340
reactive, 340
Hydrogenation, progress of, 1928–29, 313 320
with cracking, 216-227

Inclinometers, 548-550
Injection Wells, gas migration from, 603-604
Insecticides, progress of, 1928–29, 294-298
Institution of Petroleum Technologists, testing methods, 1929, 325-327

Japan, crude oil, cracking, 141
Junkers Engine, data relating to, 427
Junkers 2-stroke Opposed Piston Engine, 433-435

Kauffman Method for Determination of Unsaturateds, 69
Kelly Stems, 515
Kerosine, Miri, analysis, 786
refining of, acid sludge from, 707-708
specification, 41
Kerosine Distillate, specification, 46
Kijkvorshfontein, Transvaal, torbanite at, 622
Körting Engine, data relating to, 427
Krupp Engine, data relating to, 427
Kukersite. See *Estonia, oil-shale*

Lamp Black, literature on, 1928–29, 308
Light Oils, chemical examination, 54-88
distillation from crude oil, 40-53
Limestones, as reservoir rocks, 336
Linke-Hofmann Engine, data relating to, 427
Low Temperature Tar. See *Tar, Low-Temperature*
Lubricating Oil, contact filtration process, 266-267
Edeleanu process, 266-268
laboratory tests, correlation with practice, 271-279
Oxidation tests, 271-279
progress of, 1928–29, 255-280

Lubricating Oil—*cont.*
special, literature on, 1928–29, 312
synthetic, 830-869
durability, 852-853
mechanical tests, 848-854
oiliness, 853-854
testing, 332
used, reclaiming, 270-271
vacuum distillation apparatus, 604
viscosity, 643-653
converting Redwood seconds to kinematic viscosities, 657-660
Redwood seconds-temperature curves, 647-650
temperature effect on, 651-657
viscosity-temperature relation, Eckart's logarithmic, 643-647
Voltol process, 258
wax removal, 129-130
Wier process, 259

M.A.N. Engine, data relating to, 427, 462
Machine Oil, viscosities, 643-653
Manitoba, Canada, progress in 1929, 350
Maybach Engine, data relating to, 427
McIlhiney Method for Determination of Unsaturateds, 62-63
Menhaden Fish Oil, cracking, 144
Mercedes Benz Engine, data relating to, 427, 462
Metals, coatings for, literature on, 1928–29, 309
Methane, chlorination, 360
2-Methyl Butane, aniline point, 75
Methyl Cyclohexane, aniline point, 76
Methyl Cyclohexyl Cyclohexane, aniline point, 76
Methyl Cyclopentane, aniline point, 76
2-Methyl Heptane, aniline point, 76
2-Methyl Hexane, aniline point, 76
3-Methyl Hexane, aniline point, 76
1-Methyl 4-Isopropyl Cyclohexane, aniline point, 76
2-Methyl Pentane, aniline point, 75
3-Methyl Pentane, aniline point, 75
Mid-Continent, crude oil, specific heats, 490-491, 496
topped crude oil, specific heats, 491, 496
Miri, benzine, analysis, 785-786
crude oil, analysis, 785
kerosine, analysis, 786
Molecular Weights, oil, determination, 799-807
relation to refractive index, 804-806
relation to specific gravity, 804-806
Motor Fuels, oxidation relation to detonation, 337-338.
See also *Gasoline*
Motor Vehicles, number registered, 1919–28, 727
Mud-Laden Fluid, 530-531

Naphthalene Determination, road materials, 906
Naphthenes, aniline points, 76
Naphthenes and Paraffins, determination, 83-85
Naphthenic Acids, progress of, 1928–29, 298
Naphthology, process of, 1928–29, 91-363
Natural Gas. See Gas, natural
Nitrogen, literature on, 1928–29, 311
Nitrogen Compounds, isolation from petroleum, 341
n-Nonane, aniline point, 76
Nova Scotia, oil-shale, oil and gas yields, 628

n-Octane, aniline point, 76
Octanes, aniline points, 76
Octene, aniline point, 76
Oil Fields, chemist in, work of, 382-383
Oil-shale, compressive strength, 604
Estonian, gas composition, 627, 629
oil and gas yields, 628
gas, uses, 630-632
Nova Scotia, oil and gas yields, 628
retorting of, gaseous products, 626-634
use of steam, 628-629
South African, gas composition, 627
oil and gas yields, 628
Oilfield Practice, progress of, 1928–29, 108-117
Olefines, aniline points, 76
conversion to alcohols, 360
reaction rates, 340-341
Olinda Well, 96
deviation of , 541, 557
Oxidation, with cracking, 227-230
Oxidation Products, progress of, 1928–29, 299-301

Palm Oil, cracking, 144
Paraffin, medicinal, literature on, 1928–29, 311
Paraffin Wax, Asiatic, properties, 887
chemical constituents, 287
crystallisation, 284-287, 870-888
decomposition on heating, 29-33
mottles in, 877

Paraffin Wax—*cont.*
needle crystals, 874-886
oxidation, 290-291
physical constants, 289-290
plate crystals, 872-874
Polish, properties, 871-872
progress of, 1928-29, 284-294
pyrolysis, 290-291
Rangoon, cracking, vapour phase, 661-677
physical properties of, 661
structure, 284-287
transition crystals, 886
X-ray studies, 288-289
Paraffin Wax-Oil Mixtures, processing, 291-294
Paraffins, aniline points, 75-76
Paraffins and Naphthenes, determination, 83-85
Pecos County, Texas, topped crude, cracking, 141
Pennsylvania, crude oil, specific heats, 486, 494-495
topped crude oil, specific heats, 483-485, 489, 494-495
Pentane, liquefied, properties, 132
iso-Pentane, C.S.T. in nitro-benzene, 77
n-Pentane, aniline point, 75
C.S.T. in nitro-benzene, 77
Pentanes, aniline points, 75
Persia, crude oil, specific heats, 486-487, 495
topped crude oil, specific heats, 487-488, 495
Persian Branch, Annual General Meeting, Third, 635
Annual Report, 1928, 636-639
Petroleum, production, British Empire, 1927-29, 615
world, 1927–29, 614
Petroleum, Coke. See *Coke, petroleum*
Petroleum Fractions, separation, 336
Petroleum Industry, engineer in relation to, 2-28
Phenol, literature on, 1928–29, 311
Physics, A.P.I. research on, 336-340
Pipe-Line, natural gas, construction, 119-122
Pitch, definition, 904, 905-906
progress of, 1928–29, 301-306
wax estimation, 814-824
Plasticity, road materials, test for, 906
Poland, crude oil, 360
oil industry, 358-363
paraffin wax, properties, 871-872
refining methods in, 360-363
Propane, liquefied, from natural gas, 123-124, 131-132
properties, 132
use as fuel, 123-123, 131-132
Propyl Cyclopentane, aniline point, 76
Pumps, mud, 521-522
Püssi, Estonia, producer gas from spent shale, 630

Queen's Red Oil, viscosities, 642-653

Refinery, balance sheet for, 46-48
chemist in, work of, 383-384
Refinery Technology, U.S.A., progress of, 1928–29, 125-132
Refining Agents, literature on, 1928–29, 311-312
Residues, cracking, 192-195
petroleum, use for power purposes, 701-722
progress of, 1928–29, 281-283
Resins, literature on, 1928–29, 312
Reviews :
" American Oilfields, Structure of Typical," Amer. Assoc. Petr. Geol., 605-606
" Aromatic, Unsaturated and Naphthene Hydrocarbons in Light Oils and Motor Spirits, Determination of," A. B. Manning and F. M. E. Shepherd, 828
" Bureau of Standards, Annual Report, 1929," 37
" Chemical Engineering and Chemical Catalogue," 506
" Coal, Assay of for Carbonisation," J. G. King and L. J. Edgcombe, 506
" Coal, Microscopical Examination of," 506
" Coals, Scottish Coking and Furnace," T. Gray, T. H. P. Heriot and W. J. Skilling, 606
" Coal Seams, Significance of Spores in Correlation of," L. Slator, M. M. Evans and G. E. Eddy, 699
" Gas Manufacture, Influence of Size of Coal during," Fuel Research Board, 699
" Gas, Measurement of Rapidly Fluctuating Flow of," J. G. King and B. H. Williams, 828
" Increasing the Recovery of Petroleum," W. H. Osgood, 698
" Krackverfahren Unter Anwendung von Druck," E. Sadlaczek, 503
" Lubrication, Principles and Practice of," A. W. Nash and A. R. Bowen, 36-37
" Organic Sulphur Compounds, Bibliography of," P. Bergstrom, R. W. Bost and D. F. Brown, 828

Reviews—*cont.*
"Petroleum Development and Technology, 1930," 696-697
"Petroleum Engineers Handbook," 827
"Petroleum Vademecum," 505
"Polen, Das Erdölgebeit von Mraznica," K. Friedl, 37
"Problem of Oil," C. T. Brunner, 503-505
"Report of Test on Turner Retort," Director of Fuel Research, 506
"Rumania, Petroleum in," M. Pizanty, 828
"Schmiermittel," C. Walther, 826-827
"South Africa, Mineral Deposits of the Union of," P. A. Wagner and L. Reinecke, 699
"Technical Data on Fuel," H. M. Spiers, 697
"Thermal Properties of Petroleum Products," C. S. Cragoe, 90
"United States, Oilfields in," W. A. Van Wiebe, 696
"Untersuchungsmethoden de Erdölindustrie," H. Burstin, 505
Road Materials, nomenclature and tests of, 902-908
Road Surfaces, atmospheric action on, 907
Rocks, generation of oil by shearing pressure, 334
oil displacement by aqueous solutions, 338-339
source, origin and environment, 335
study in microfurnace, 334-335
structural relations, 336
Rope, wire, development, 464-471
point and line contact, 465-467
preforming, 467
Rotary Tables, 519-520
Rumania, light oil specifications, 41
oil well pumping in, 89-90
residues, cracking, 142
wire ropes in, 467-470
Rumanian Branch, Annual Report, Third, 34-35
Russia, crude oils, cracking, 141-143
heavy oils, cracking, 142

Sands, oil recovery by gas drive, 625
oil retention, fundamentals, 339
Saskatchewan, progress in 1929, 350
Scotland, oil-shale, gas composition, 628
shale-oil, cracking, 143
Shale-Oil, cracking gas, 633-634
cracking, 143
Estonian, cracking gas composition, 633-634
Smoke Clouds, literature on, 1928-29, 312
Solar Red Oil, viscosites, 643-653
South Africa, oil-shale, gas yields, 629-630
petroleum imports, 1928, 615-616
petroleum supply, 617-620
torbanites, 620-625
oil and gas yields, 628
Special Products, progress of, 1928-29, 284-312
Specific Gravity, correction, expansion coefficients, 501-502, 812
Specific Heat, determination, 477-479
relation to other properties, 783-813
variation with specific gravity, 810-812
variation with temperature, 807-810
Spindle Oil, viscosities, 643-653
Spirifer disjunctus, 420
Spring Hooks, 514
Stability, road materials, test for, 907
Standardization of Tar Products Tests Committee, testing methods, 1929, 328
Stearic Acid, literature on, 1928-29, 312
Stoddard Solvent, literature on, 1928-29, 309
Students' Section, Birmingham Branch Annual Report, 1929, 374
London Branch, Annual Report, 1929, 373-374
Sulphur, physical and chemical properties, 341
Sulphur Compounds, reactions, 341
Surachany, Russia, crude oil, cracking, 141, 143
mazout, cracking, 142
Swivels, rotary drilling, 514, 535
Sym. Methyl Propyl Ethylene, aniline point of, 76

Tanks, barge, measurement, 567-568
storage, measurement, 565-572
sampling from, 569
temperature measurements, 568-569
Tar, definition, 904, 905
lignite, cracking, 144
low-temperature, cracking, 143-144
road, definition, 904, 905
wood, cracking, 144
Tar Acids, cracking, 144
Tcheleken, Russia, crude oil, cracking, 141
Testing of Oil, progress of, 1928-29, 325-333
Tetrahydronaphthalene, aniline point, 76

Texas, West, topped crudes, cracking, 141
Timber, preservatives for, literature on, 1928–29, 311
Torbanite, retorting, gaseous products, 626-634
retorting methods, 624-625
South African, 620-625
Torsion Meter, fluid, 509
Total Heat, measurement, 792-798
relation to other properties, 783-813
variation with specific gravity, 810-812
variation with temperature, 807-810
Transvaal, torbanites, 620-625
Travelling Blocks, 513-514
2.2.3-Trimethyl Butane, aniline point, 76
1.2.4-Trimethyl Cyclohexane, aniline point, 76
1.2.3-Trimethyl Cyclopentane, aniline point, 76
Trimethyl Ethylene, aniline point, 76
Trinidad, mud flow in, 578-580
progress in, 1928–29, 354-357
units of measurement in, 569-570
Trinidad Branch, Annual Report, Second, 472-475
Tubing, well, maximum gas flow, 641
Turner Valley, Alberta, oilfield of, 395-397
progress in 1929, 350-353
Tustanowice, Poland, crude oil, 360
natural gas, gasoline recovery, 358-359

n-Undecane, aniline point, 76
United Kingdom, petroleum imports, 1927–28, 615
United States, Bureau of Mines specifications, 328
cracking industry, growth of, 246
crude oil, products from, 727
domestic oil burners in use, 1921–29, 732
fuel oil, distillate, use, 1925–29, 732
distillate and residue, production, 1929–28, 730
gasoline, production by methods, 1918–28, 729
yield on crude oil, 1905–28, 727
geophysical surveying in, 105-106
miscellaneous petroleum products, 1929, 909
natural-gasoline industry, 1929, 909
natural-gasoline plants in, 825
shale-oil, cracking, 143
Unsaturateds, determination, bromine number methods, 62-65
by absorption of halogens, 59-65
by aluminium chloride, 70
Unsaturateds—*cont.*
determination—*cont.*
by hydrogen peroxide, 70
by liquid nitric oxide, 70
by mercuric salts, 65-66
by nitric acid, 70
by ozone, 66-68
by perbonzoic acid, 68-69
by potassium permanganate, 70
by sulphur monochloride, 70-71
by sulphuric acid, 55-59
by thiocyanogen, 69
Hanus method, 60-62
Hubl method, 60
iodine number methods, 60-62
Kauffman method, 69
McIlhiney method, 62-63
Wijs method, 60
Ural, Russia, topped crude, cracking, 142

Valvoline, viscosities, 543-653
Vapours, specific heats, 131
Viscometers, standardization of, 332-333
Viscosity, lubricating oil, temperature effect on, 651-657
Redwood seconds, conversion to kinematic viscosities, 657-660
road materials, test for, 906
Viscosity-Temperature Relations, lubricating oils, 643-660

Wainwright, Alberta, oilfield of, 397
Waite Valley, Alberta, drilling in, 398
Wakkerstroom, Transvaal, torbanite at, 621
Wax, estimation of in asphalt, 814-824
lignite, cracking, 144
Weight Indicators, 515
Wells, gas-lift, paraffin deposition, 909
injection, gas migration from, 603-604
oil, cost of drilling, 603
deviation of. See *Deviation of Wells*
flowing, pressure control, 640-642
rotary-drilled, casing shoes unnecessary, 573-576
surveying of, 547-550, 554-555, 557-559. 561
White Spirit, specification, 41, 46
Wijs Method for Determination of Unsaturateds, 60
Winkler County, Texas, gas oil, cracking, 141
World, petroleum production, 1927–29, 614

Yenangyoung, Burma, asymmetry of anticline, 579-590

e, 70
0-71

62

cking,

, 332-

rature

on to
30

s, lu-

397
a, 398
panite

4-824

n, 909
603-

on of

0-642
un-

-555,

n of

rack-

7–29,

ry of